

लातूर शहर महानगरपालिका, लातूर

मा.आयुक्त यांचे कार्यालय (आरोग्य विभाग)

फोन- 02382 242803, 246075 फॅक्स- 02382-246074

वेबसाईट- www.mclatur.org

email:lcmc.moh@gmail.com



जाक्र/लाशमनपा/आरोग्य विभाग/ 61 /२०२५-२६

दिनांक ०९/१०/२०२५

प्रति,

.....
.....
.....

विषय :- १५ वा वित्त आयोगांतर्गत पोर्ट-कॅबीन दरपत्रक मागवणे बाबत..


संदर्भ :- १. मा.आयुक्त, मनपा, लातूर यांची मान्य टिपणी दि.०६/१०/२०२५.

२. मा.आयुक्त, मनपा, लातूर यांची मान्य टिपणी दि. २६/०९/२०२५.

वरील संदर्भीय विषयान्वये आपणास कळविण्यात येते की, १५ वा वित्त आयोगा अंतर्गत आयुष्मान आरोग्य मंदिर स्थापन करण्याकरीता पोर्ट-कॅबीनचे अंदाजपत्रक व तांत्रिक मान्यतेस्तव दरपत्रक मागविण्यात येत आहेत. तरी इच्छुक पुरवठा धारकांनी खालील नमूद केलेल्या कालावधीत दरपत्रक आवक/जावक विभाग एक नंबर खिडकी लातूर शहर महानगरपालिका, लातूर. येथे सादर करावे.

दरपत्रक सादर करावयाचा कालावधी - दि. ०६/१०/२०२५ ते १२/१०/२०२५

सोबत - पोर्ट-कॅबीन बनविण्या कारेता लागणाऱ्या साहित्याची यादी.


वैद्यकीय आरोग्य अधिकारी
लातूर शहर महानगरपालिका, लातूर.

प्रत माहितीस्तव:-

- मा.आयुक्त, लातूर शहर महानगरपालिका, लातूर.

प्रत

संगणक विभाग प्रमुख लातूर शहर महानगरपालिका, लातूर यांना प्रत देऊन कळविण्यात येते की सदरील दरपत्रक मागवण्याबाबत लातूर शहर महानगरपालिका, लातूर या संकेतस्थळावर प्रसिद्ध करण्यात यावे.

०१८

०५.


वैद्यकीय आरोग्य अधिकारी
लातूर शहर महानगरपालिका, लातूर.

NAME: MEDICAL OFFICER OF HEALTH, LATUR
(LATUR CITY MUNICIPAL CORPORATION, LATUR)
EMAIL ID: lcmc.moh@gmail.com

07/10/2025

PARTICULAR	SIZE	QTY.	RATE/UNIT	AMOUNT
1. PORTABLE CABINS:				
A) G.I. Portable Office Cabin 40 x 12 x 8½' (Internal Clear Height will be 8-9ft) Internal Wall and False Ceilings Panels will be Fire & Waterproof, 8 windows with grill, 1 main door etc.	40'x12'x 8.6'	01		
B) Partition with Doors for all Cabins (O.P.D Cabin + Dispensing Counter + Injections Cabin + Nursing Cabin + Lab Room + Store Room etc		01		
C) Inbuilt Toilet 4 x 4' Internal Toilet with facilities of all sanitary accessories like Commode, Flush Tank, Towel Hanger, Wash Basin, Jet Spray, Mirror & Flooring with upto 4ft wall will be done by Ceramic Tiles	4'x 4'	02		
D) Water Tank with all plumbing fitting with min 1000 ltr for each toilet	1000 ltr	02		
E) Pantry 7 x 1¼ x 2¾' Lab Platform with below Storage (made by Black Granite Platform with Ceramic Sink)	7'X2'	01		
F) Electrical System The bunk house will be provided with electrical wiring suitable for 250 volt, 50 HZ single phase AC power supply. All electrical wiring shall be concealed. Suitable copper cables shall be used for lighting circuits. The copper cables used will be of 2.5 mm cable for lighting circuits. ISI mark and concealed in PVC conduits insulated copper wire shall be used for wiring to be done in PVC conduit with small size distribution board with MCB protection and to separate with main supply		01		
Fan		09		
Tube Light		20		
6 Amp Point		10		
16 Amp Point		06		
Provision for A/c		06		
Bulk Head		01		
MCB		01		

Handwritten signature/initials